



Air-Cooled Ice Machine Rebates for Restaurants & Lodging



Air-Cooled Ice Machines

\$300 REBATE or more per machine

Newer air-cooled ice machines use less energy and water and make ice more quickly and efficiently. Your existing water-cooled ice makers may use more water to cool the system than to make the ice itself. By installing an air-cooled ice machine that uses 20 gallons of water or less per 100 lbs. of ice, your facility saves water and energy. Only the models listed below qualify for rebates.

Type Classifications are as follows:

IMH = Ice-Making Head RCU = Remote Condensing Unit SC = Self Contained A = Air-Cooled

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Cornelius	XAC322	----	Cube	269	16.7	7.00
IMH-A	Cornelius	XAC330	----	Cube	269	16.7	7.00
RCU-A	Cornelius	CCM1530RH2	RC14002C	Cube	1,216	19.5	4.60
RCU-A	Cornelius	CCM1530RF2	RC14002C	Cube	1,216	19.5	4.60
IMH-A	Cornelius	CCM1448AF3	----	Cube	1,131	19.6	5.00
IMH-A	Cornelius	CCM1448AH3	----	Cube	1,131	19.6	5.00
IMH-A	Cornelius	CCM1448AF2	----	Cube	1,136	19.9	5.06
IMH-A	Cornelius	CCM1448AH2	----	Cube	1,136	19.9	5.06
IMH-A	Follett	MFD400A	----	Nugget	314	12.6	5.70
IMH-A	Follett	110CT400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	110FB400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	12CI400A	----	Nugget	280	12.6	5.70
IMH-A	Follett	25CI400A	----	Nugget	300	12.6	5.70
IMH-A	Follett	25CT400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	25FB400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	50CI400A	----	Nugget	300	12.6	5.70
IMH-A	Follett	50CT400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	MCD400A	----	Nugget	314	12.6	5.70
IMH-A	Follett	110CR400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	12HI400A	----	Nugget	280	12.6	5.70
IMH-A	Follett	25CR400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	25HI400A	----	Nugget	300	12.6	5.70



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Follett	25HR400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	25HT400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	50CR400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	50HB400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	50HI400A	----	Nugget	300	12.6	5.70
IMH-A	Follett	50HR400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	50HT400A	----	Nugget	323	12.6	5.70
IMH-A	Follett	D400A	----	Nugget	314	12.6	5.70
IMH-A	Follett	R400A	----	Nugget	314	12.6	5.70
IMH-A	Follett	HCC1400A	----	Nugget	1,060	13.2	5.10
RCU-A	Follett	HCD1400N	178640	Nugget	1,120	13.2	4.80
RCU-A	Follett	HCD1400R	178640	Nugget	1,120	13.2	4.80
IMH-A	Follett	HMC1400A	----	Nugget	1,060	13.2	5.10
RCU-A	Follett	HMD1400N	178640	Nugget	1,120	13.2	4.80
RCU-A	Follett	HMD1400R	178640	Nugget	1,120	13.2	4.80
IMH-A	Follett	HCC1000A	----	Nugget	830	13.6	5.10
RCU-A	Follett	HCD1000N	168504	Nugget	765	13.6	5.10
RCU-A	Follett	HCD1000R	168504	Nugget	765	13.6	5.10
IMH-A	Follett	HMC1000A	----	Nugget	830	13.6	5.10
RCU-A	Follett	HMD1000N	178640	Nugget	765	13.6	5.10
RCU-A	Follett	HMD1000R	178640	Nugget	765	13.6	5.10
SC-A	Follett	50FB400A	----	Nugget	296	13.2	6.40
SC-A	Follett	7CT100A	----	Nugget	105	12.6	6.50
SC-A	Follett	7FS100A	----	Nugget	105	12.6	6.50
SC-A	Follett	7UC100A	----	Nugget	105	12.6	6.50
SC-A	Follett	7UD100A	----	Nugget	105	12.6	6.50
IMH-A	Hoshizaki	F-801MAH	----	Flake	599	12.0	4.50
SC-A	Hoshizaki	DCM270BAH	----	Flake	215	12.0	7.60
SC-A	Hoshizaki	DCM270BAH-OS	----	Flake	220	12.0	7.30
SC-A	Hoshizaki	DCM500BAF	----	Flake	385	12.0	6.60
SC-A	Hoshizaki	DCM-500BAH-OS	----	Flake	385	12.0	6.60
SC-A	Hoshizaki	DCM-750BAH	----	Flake	567	12.0	6.30
SC-A	Hoshizaki	DCM-750BAH-OS	----	Flake	567	12.0	6.30
SC-A	Hoshizaki	DT-400BAH-OS	----	Flake	296	12.0	7.60
RCU-A	Hoshizaki	F-1001MRH	URC-5F	Flake	745	12.0	4.90
RCU-A	Hoshizaki	F-1001MRH-C	URC-5F	Nugget	695	12.0	5.50
IMH-A	Hoshizaki	F-1500MAH	----	Flake	1,170	12.0	3.80
IMH-A	Hoshizaki	F-1500MAH-C	----	Nugget	990	12.0	4.50
RCU-A	Hoshizaki	F-1500MRH	URC-12F	Flake	1,300	12.0	3.72



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
RCU-A	Hoshizaki	F-1500MRH-C	URC-12F	Nugget	1,120	12.0	4.18
RCU-A	Hoshizaki	F-2000MRH	URC-20F	Flake	1,675	12.0	4.00
RCU-A	Hoshizaki	F-2000MRH3	URC-20F	Flake	1,695	12.0	4.10
RCU-A	Hoshizaki	F-2000MRH3-C	URC-20F	Nugget	1,525	12.0	4.60
RCU-A	Hoshizaki	F-2000MRH-C	URC-20F	Nugget	1,490	12.0	4.60
SC-A	Hoshizaki	F-300BAF	----	Flake	232	12.0	6.70
SC-A	Hoshizaki	F-330BAH	----	Flake	250	12.0	5.80
SC-A	Hoshizaki	F-330BAH-C	----	Nugget	330	12.0	6.70
IMH-A	Hoshizaki	F-450MAH	----	Flake	355	12.0	6.20
SC-A	Hoshizaki	F-500BAF	----	Flake	359	12.0	6.00
IMH-A	Hoshizaki	F-500BAF-C	----	Nugget	333	12.0	6.50
IMH-A	Hoshizaki	F-801MAH-C	----	Nugget	552	12.0	5.10
IMH-A	Hoshizaki	KM-1301SAH3	----	Cube	1,159	15.6	4.60
RCU-A	Hoshizaki	KMS-750MLH	1000-RHS	Cube	700	15.6	5.60
IMH-A	Hoshizaki	KM-1301SAH	----	Cube	1,164	15.7	4.50
RCU-A	Hoshizaki	KM-1301SRH3	URC-14F	Cube	1,197	16.0	4.30
SC-A	Hoshizaki	DKM-500BAH	----	Cube	406	16.3	6.80
RCU-A	Hoshizaki	KM-1301SRH	URC-14F	Cube	1,222	16.6	4.10
IMH-A	Hoshizaki	KM-1900SAH3	----	Cube	1,530	17.0	4.10
SC-A	Hoshizaki	KM-151BAH	----	Cube	121	17.8	8.40
IMH-A	Hoshizaki	KML-451MAH	----	Cube	349	18.0	6.10
RCU-A	Hoshizaki	KM-461MRH	URC-5F	Cube	396	18.0	6.00
IMH-A	Hoshizaki	KM-1340MAH	----	Cube	1,167	18.3	4.70
RCU-A	Hoshizaki	KM-1340MRH	URC-14F	Cube	1,251	18.3	4.50
IMH-A	Hoshizaki	KM-320MAH	----	Cube	278	18.4	6.90
RCU-A	Hoshizaki	KM-1601MRH	URC-21F	Cube	1,422	18.5	4.50
RCU-A	Hoshizaki	KM-2500SRH3	URC-23F	Cube	2,250	18.6	4.50
IMH-A	Hoshizaki	KM-1900SAH	----	Cube	1,560	18.8	4.10
IMH-A	Hoshizaki	KMD-450MAH	URC-9F	Cube	387	18.9	5.48
RCU-A	Hoshizaki	KM-1601MRH3	URC-21F	Cube	1,392	19.2	4.60
RCU-A	Hoshizaki	KMD-850MRH	URC-9F	Cube	698	19.5	5.40
IMH-A	Hoshizaki	KM-600MAH	----	Cube	503	19.7	5.66
RCU-A	Hoshizaki	KM-1300SRH3	URC-12F	Cube	1,266	19.8	4.40
RCU-A	Hoshizaki	KM-1900SRH	URC-21F	Cube	1,616	20.0	3.90
RCU-A	Hoshizaki	KM-1900SRH3	URC-21F	Cube	1,660	20.0	4.10
RCU-A	Hoshizaki	KM-650MRH	URC-5F	Cube	554	20.0	5.40
RCU-A	Hoshizaki	KMD-901MRH	----	Cube	775	20.0	5.30
RCU-A	Hoshizaki	KM-2000SRH3	URC-20F	Cube	1,748	20.0	4.40
RCU-A	Hoshizaki	KM-1900SHR	URC-22F	Cube	1,640	20.0	4.09



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
RCU-A	Hoshizaki	KM-1900SHR	URC-22F	Cube	1,640	20.0	4.09
IMH-A	Hoshizaki	KM-650MAH	----	Cube	562	18.0	5.51
RCU-A	Hoshizaki	KMH-2000SRH	URC-22F	Cube	1,694	18.1	3.80
RCU-A	Hoshizaki	KMH-2000SRH	URC-22F	Cube	1,694	18.1	3.80
RCU-A	Hoshizaki	KMH-2000SRH3	URC-22F	Cube	1,675	16.8	3.70
RCU-A	Hoshizaki	KMH-2000SRH3	URC-22F	Cube	1,675	16.8	3.70
RCU-A	Hoshizaki	KMS-830MLH	SRK-8H	Cube	700	16.0	5.50
RCU-A	Howe Corporation	1000-RLH	2000-RHS	Flake	1,070	12.0	2.50
RCU-A	Howe Corporation	2000-RLH	----	Flake	2,000	12.0	3.10
SC-A	ICE-O-Matic	EF250A32S	----	Flake	319	12.0	5.60
SC-A	ICE-O-Matic	EF250A38S	----	Flake	319	12.0	5.60
SC-A	ICE-O-Matic	EF450A32S	----	Flake	360	12.0	5.80
SC-A	ICE-O-Matic	EF450A38S	----	Flake	360	12.0	5.80
SC-A	ICE-O-Matic	EF450A48S	----	Flake	360	12.0	5.80
SC-A	ICE-O-Matic	EF800A38S	----	Flake	616	12.0	4.60
SC-A	ICE-O-Matic	EF800A48S	----	Flake	616	12.0	4.60
IMH-A	ICE-O-Matic	GEM0450A	----	Nugget	354	12.0	5.31
IMH-A	ICE-O-Matic	GEM0650A	----	Nugget	522	12.0	5.40
IMH-A	ICE-O-Matic	GEM0956A	----	Flake	780	12.0	3.90
IMH-A	ICE-O-Matic	GEM0956A	----	Nugget	753	12.0	4.06
RCU-A	ICE-O-Matic	GEM0956R	GRC1061	Flake	833	12.0	4.20
IMH-A	ICE-O-Matic	GEM1256A	----	Flake	945	12.0	3.70
RCU-A	ICE-O-Matic	GEM1256R	GRC2061	Flake	1,005	12.0	3.60
IMH-A	ICE-O-Matic	MFI0500A	----	Flake	401	12.0	4.50
IMH-A	ICE-O-Matic	MFI0800A	----	Flake	579	12.0	4.80
RCU-A	ICE-O-Matic	MFI0800R	GRC1001	Flake	675	12.0	4.30
IMH-A	ICE-O-Matic	MFI1256A	----	Flake	845	12.0	3.40
RCU-A	ICE-O-Matic	MFI1256R	GRC1061	Flake	867	12.0	3.70
RCU-A	ICE-O-Matic	ICE1506FR	VRC2661	Cube	1,216	19.5	4.60
RCU-A	ICE-O-Matic	ICE1506HR	VRC2661	Cube	1,216	19.5	4.60
IMH-A	ICE-O-Matic	ICE1407FA	----	Cube	1,131	19.6	5.00
IMH-A	ICE-O-Matic	ICE1407HA	----	Cube	1,131	19.6	5.00
IMH-A	ICE-O-Matic	ICE1406FA3	----	Cube	1,136	19.9	5.06
IMH-A	ICE-O-Matic	ICE1406HA3	----	Cube	1,136	19.9	5.06
IMH-A	ICE-O-Matic	ICE1406FA	n/a	Cube	1,136	19.9	5.06
IMH-A	ICE-O-Matic	ICE1406HA	n/a	Cube	1,136	19.9	5.06
SC-A	Manitowoc	QF-0406A	----	Flake	300	12.0	5.32
IMH-A	Manitowoc	QF-0806A	----	Flake	740	12.0	4.90



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Manitowoc	RF-0244A	----	Flake	150	12.0	7.86
IMH-A	Manitowoc	RF-0266A	----	Flake	150	12.0	7.86
IMH-A	Manitowoc	RF-0300A	----	Flake	259	12.0	6.48
IMH-A	Manitowoc	RF-0385A	----	Flake	270	12.0	6.41
IMH-A	Manitowoc	RF-0399A	----	Flake	270	12.0	6.41
IMH-A	Manitowoc	RF-0650A-161	----	Flake	558	12.0	5.14
IMH-A	Manitowoc	RF-0650A-261	----	Flake	545	12.0	5.03
RCU-A	Manitowoc	RF-1278C	RCU1075	Flake	958	12.0	3.98
RCU-A	Manitowoc	RF-2378C	RCU2375	Flake	1,702	12.0	3.87
IMH-A	Manitowoc	SF-0406A	----	Flake	331	12.0	6.00
IMH-A	Manitowoc	SF-0906A	----	Flake	744	12.0	4.00
IMH-A	Manitowoc	SF-0906A3	----	Flake	744	12.0	4.00
RCU-A	Manitowoc	SF-0976A	RFC-0985	Flake	811	12.0	4.10
RCU-A	Manitowoc	SF-0976C	RFC-0985	Flake	811	12.0	4.10
RCU-A	Manitowoc	SF-0978C	RFC-0985	Flake	879	12.0	4.10
IMH-A	Manitowoc	SF-1206A	----	Flake	1,018	12.0	3.80
IMH-A	Manitowoc	SF-1206A3	----	Flake	1,018	12.0	3.80
RCU-A	Manitowoc	SF-1276C	RFC-12853	Flake	1,025	12.0	3.90
RCU-A	Manitowoc	SF-1276C	RFC-1285	Flake	1,025	12.0	3.86
SC-A	Manitowoc	SN-12	----	Nugget	253	12.0	7.11
IMH-A	Manitowoc	SN-1258A	----	Nugget	1,110	12.0	3.52
IMH-A	Manitowoc	SN-1258A3	----	Nugget	1,110	12.0	3.52
RCU-A	Manitowoc	SN-1278C	RFC-12853	Nugget	1,019	12.0	3.90
RCU-A	Manitowoc	SN-1278C	RFC-1285	Nugget	1,019	12.0	3.91
SC-A	Manitowoc	SN-12A	----	Nugget	253	12.0	7.11
SC-A	Manitowoc	SN-20	----	Nugget	253	12.0	7.11
SC-A	Manitowoc	SN-20A	----	Nugget	253	12.0	7.11
IMH-A	Manitowoc	SN-450A	----	Nugget	361	12.0	6.03
IMH-A	Manitowoc	SN-650A	----	Nugget	564	12.0	5.07
IMH-A	Manitowoc	SN-650N	----	Nugget	581	12.0	5.50
IMH-A	Manitowoc	SN-958A	----	Nugget	763	12.0	4.00
IMH-A	Manitowoc	SN-958A3	----	Nugget	763	12.0	4.00
SC-A	Manitowoc	SN12-AT	----	Nugget	253	12.0	7.10
IMH-A	Manitowoc	RN-0408A	----	Nugget	294	12.6	6.38
IMH-A	Manitowoc	RN-1008A	----	Nugget	822	13.6	5.38
RCU-A	Manitowoc	RN-1078C	RCU1075	Nugget	719	13.6	5.46
IMH-A	Manitowoc	SD-0322A	----	Cube	250	18.0	6.90
IMH-A	Manitowoc	SD-0502A	----	Cube	420	18.0	5.50
RCU-A	Manitowoc	SD-0592N	JC-0495	Cube	425	18.0	6.10



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
RCU-A	Manitowoc	SD-1472C	CVD14853	Cube	1,220	18.0	4.30
RCU-A	Manitowoc	SD-1472C	CVD1485	Cube	1,220	18.0	4.40
RCU-A	Manitowoc	SD-1872C	CVD18853	Cube	1,500	18.0	4.50
RCU-A	Manitowoc	SD-1872C	CVD1885	Cube	1,500	18.0	4.50
IMH-A	Manitowoc	SY-0324A	----	Cube	250	18.0	6.90
IMH-A	Manitowoc	SY-0454A	----	Cube	365	18.0	6.30
IMH-A	Manitowoc	SY-0504A	----	Cube	440	18.0	5.40
RCU-A	Manitowoc	SY-0594N	JC-0495	Cube	450	18.0	5.80
IMH-A	Manitowoc	SY-0854A	----	Cube	725	18.0	5.30
IMH-A	Manitowoc	SY-0854A3	----	Cube	725	18.0	5.20
RCU-A	Manitowoc	SY-0894N	JC-0895	Cube	750	18.0	5.30
RCU-A	Manitowoc	SY-0894N3	JC-0895	Cube	750	18.0	5.20
RCU-A	Manitowoc	SY-1074C	CVD-10853	Cube	850	18.0	5.00
RCU-A	Manitowoc	SY-1074C	CVD-1085	Cube	850	18.0	5.00
RCU-A	Manitowoc	SY-1474C	CVD1485	Cube	1,235	18.0	4.50
RCU-A	Manitowoc	SY-1474C	CVD14853	Cube	1,235	18.0	4.30
RCU-A	Manitowoc	SY-1874C	CVD18853	Cube	1,550	18.0	4.50
RCU-A	Manitowoc	SY-1874C	CVD1885	Cube	1,550	18.0	4.50
RCU-A	Manitowoc	IB-0824YC	CVD-0885	Cube	690	18.0	5.60
RCU-A	Manitowoc	IB-0824YC	CVD-0883	Cube	690	18.0	5.60
RCU-A	Manitowoc	SD-0892N3	JC-0895	Cube	645	18.0	5.70
IMH-A	Manitowoc	SY-0424A	----	Cube	355	18.0	6.50
RCU-A	Manitowoc	SY-0874C	CVD-0885	Cube	705	18.0	5.50
RCU-A	Manitowoc	SY-0874C	CVD-08853	Cube	705	18.0	5.50
RCU-A	Manitowoc	SD-0682C	CVD-06853	Cube	575	18.8	5.42
RCU-A	Manitowoc	SD-0682C	CVD-0685	Cube	575	18.8	5.42
RCU-A	Manitowoc	SY-0684C	CVD-0685	Cube	590	18.8	5.43
RCU-A	Manitowoc	SY-0684C	CVD-06853	Cube	590	18.8	5.43
RCU-A	Manitowoc	SD-0684C	CVD-06853	Cube	590	18.8	5.43
RCU-A	Manitowoc	SD-1072C	CVD-1085	Cube	800	19.0	5.10
RCU-A	Manitowoc	SD-1072C	CVD-10853	Cube	800	19.0	5.10
RCU-A	Manitowoc	SD-3072C	CVD-30853	Cube	2,350	19.7	4.64
RCU-A	Manitowoc	SD-3074C	CVD-30853	Cube	2,420	19.7	4.51
IMH-A	Manitowoc	ID-1002A-261	----	Cube	735	19.8	5.41
IMH-A	Manitowoc	ID-1002A3-263	----	Cube	735	19.8	5.41
RCU-A	Manitowoc	ID-1072C-161	ICVD-1095-261	Cube	725	19.8	5.47
RCU-A	Manitowoc	ID-1072C-161	ICVD-10953-263	Cube	725	19.8	5.47
RCU-A	Manitowoc	ID-1092N-261	JC-0995-261	Cube	725	19.8	5.50
RCU-A	Manitowoc	ID-1092N3-263	JC-0995-261	Cube	725	19.8	5.50



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Manitowoc	IY-1004A-261	----	Cube	745	19.8	5.36
IMH-A	Manitowoc	IY-1004A3-263	----	Cube	745	19.8	5.36
RCU-A	Manitowoc	IY-1074C-161	ICVD-10953-263	Cube	735	19.8	5.47
RCU-A	Manitowoc	IY-1074C-161	ICVD-1095-261	Cube	735	19.8	5.47
RCU-A	Manitowoc	IY-1094N-261	JC-0995-261	Cube	775	19.8	5.28
RCU-A	Manitowoc	IY-1094N3-263	JC-0995-261	Cube	775	19.8	5.28
IMH-A	Manitowoc	ID-0502A-161	----	Cube	390	19.9	5.79
IMH-A	Manitowoc	ID-0502A-261	----	Cube	390	19.9	5.79
RCU-A	Manitowoc	ID-0592N-161	JC-0495-161	Cube	430	19.9	5.79
IMH-A	Manitowoc	IY-0504A-161	----	Cube	410	19.9	5.73
IMH-A	Manitowoc	IY-0504A-261	----	Cube	410	19.9	5.73
RCU-A	Manitowoc	IY-0594N-161	JC-0495-161	Cube	440	19.9	5.73
RCU-A	Manitowoc	ID-0592N-261	JC-0495-261	Cube	430	19.9	5.79
RCU-A	Manitowoc	IY-0594N-261	JC-0495-261	Cube	440	19.9	5.73
IMH-A	Manitowoc	IY-0854A-261	----	Cube	650	20.0	5.54
IMH-A	Manitowoc	IY-0854A3-263	----	Cube	650	20.0	5.54
RCU-A	Manitowoc	IY-0894N-261	JC-0895-261	Cube	645	20.0	5.78
RCU-A	Manitowoc	IY-0894N3-263	JC-0895-261	Cube	645	20.0	5.78
RCU-A	Manitowoc	QY-1894S3	JC-1895	Cube	1,520	20.0	4.57
IMH-A	Manitowoc	SD-0602A	----	Cube	540	20.0	5.60
RCU-A	Manitowoc	SD-0692N	JC-0895	Cube	570	20.0	5.90
RCU-A	Manitowoc	SD-1892N	JC-1395	Cube	1,510	20.0	4.60
RCU-A	Manitowoc	SD-1892N3	JC-1395	Cube	1,510	20.0	4.50
IMH-A	Manitowoc	SY-0604A	----	Cube	540	20.0	5.60
RCU-A	Manitowoc	SY-0694N	JC-0895	Cube	570	20.0	5.90
RCU-A	Manitowoc	SY-1894N	JC-1395	Cube	1,540	20.0	4.59
RCU-A	Manitowoc	SY-1894N3	JC-1395	Cube	1,540	20.0	4.55
IMH-A	Manitowoc	IR-0500A-161	----	Cube	370	19.9	5.94
IMH-A	Manitowoc	IR-0500A-161	----	Cube	370	19.9	5.94
IMH-A	Manitowoc	IR-0500A-261	----	Cube	370	19.9	5.94
IMH-A	Manitowoc	IR-0500A-261	----	Cube	370	19.9	5.94
IMH-A	Manitowoc	RN0408A-261	----	Nugget	294	12.6	6.38
RCU-A	Manitowoc	SY-3074C	CVD30853	Cube	2,420	19.7	4.51
IMH-A	Scotsman	N0422A-1A	----	Nugget	310	12.0	6.30
RCU-A	Scotsman	N0922R-32A	ERC311-32A	Nugget	835	12.0	4.00
IMH-A	Scotsman	N1322A-32A	----	Nugget	950	12.0	4.20
RCU-A	Scotsman	N1322R-32A	ERC311-32A	Nugget	1,030	12.0	4.00
SC-A	Scotsman	AFE325AS	----	Flake	264	12.0	5.60
SC-A	Scotsman	AFE400A	----	Flake	300	12.0	5.40



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Scotsman	F0522A-1A	----	Flake	320	12.0	6.10
IMH-A	Scotsman	F0822A-1A	----	Flake	580	12.0	4.70
IMH-A	Scotsman	F0822A-32A	----	Flake	580	12.0	4.70
RCU-A	Scotsman	F0822R-1A	ERC111-1A	Flake	610	12.0	5.10
IMH-A	Scotsman	F1222A-32A	----	Flake	825	12.0	3.90
IMH-A	Scotsman	F1222A-3A	----	Flake	825	12.0	3.90
RCU-A	Scotsman	F1222R-32A	ERC211-32A	Flake	1,000	12.0	3.40
RCU-A	Scotsman	F1222R-3A	ERC211-32A	Flake	1,000	12.0	3.40
IMH-A	Scotsman	F1522A-32A	----	Flake	1,100	12.0	3.70
RCU-A	Scotsman	FME 804RS	ERC101-1A	Flake	625	12.0	5.70
IMH-A	Scotsman	FME1204AS	----	Flake	870	12.0	3.30
RCU-A	Scotsman	FME1204RS	ERC151	Flake	890	12.0	3.40
IMH-A	Scotsman	FME1504AS	----	Flake	1,110	12.0	3.40
RCU-A	Scotsman	FME1504RS	ERC201	Flake	1,100	12.0	3.30
IMH-A	Scotsman	FME2404AS	----	Flake	1,800	12.0	3.30
RCU-A	Scotsman	FME2404RS	ERC302	Flake	1,780	12.0	3.40
IMH-A	Scotsman	FME504AS	----	Flake	400	12.0	4.80
IMH-A	Scotsman	FME804AS	----	Flake	595	12.0	4.90
SC-A	Scotsman	MDT3F12A	----	Flake	294	12.0	5.60
SC-A	Scotsman	MDT4F12A	----	Flake	351	12.0	5.60
SC-A	Scotsman	MDT5N25A	----	Flake	409	12.0	5.40
SC-A	Scotsman	MDT5N40A	----	Flake	409	12.0	5.40
SC-A	Scotsman	MDT6N90A	----	Flake	540	12.0	5.60
IMH-A	Scotsman	MFE400AS	----	Flake	380	12.0	5.50
IMH-A	Scotsman	N0622A-1A	----	Nugget	500	12.0	5.30
IMH-A	Scotsman	N0622A-32A	----	Nugget	500	12.0	5.30
RCU-A	Scotsman	N0622R-1A	ERC111-1A	Nugget	530	12.0	5.60
RCU-A	Scotsman	N0622R-32A	ERC111-1A	Nugget	530	12.0	5.60
IMH-A	Scotsman	N0922A-32A	----	Nugget	765	12.0	4.70
IMH-A	Scotsman	N0922A-3A	----	Nugget	765	12.0	4.70
RCU-A	Scotsman	N0922R-3A	ERC311-32A	Nugget	835	12.0	4.00
IMH-A	Scotsman	NME1254AS	----	Nugget	945	12.0	3.70
RCU-A	Scotsman	NME1254RS	ERC201	Nugget	1,005	12.0	3.60
IMH-A	Scotsman	NME1854AS	----	Nugget	1,595	12.0	3.90
RCU-A	Scotsman	NME1854RS	ERC302	Nugget	1,800	12.0	3.90
IMH-A	Scotsman	NME454AS	----	Nugget	370	12.0	5.20
IMH-A	Scotsman	NME654AS	----	Nugget	520	12.0	5.30
IMH-A	Scotsman	NME954AS	----	Nugget	780	12.0	3.90
RCU-A	Scotsman	NME954RS	ERC151	Nugget	830	12.0	4.10



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
SC-A	Scotsman	NSE654AS	----	Nugget	560	12.0	5.30
RCU-A	Scotsman	EH330SL-1#	C1200CP-32#/ERC1086-32#	Cube	1,230	17.4	4.80
RCU-A	Scotsman	EH330SL-1#	C1200CP-3#/ERC1086-32#	Cube	1,230	17.4	4.80
RCU-A	Scotsman	EH430ML-1#	C1800CP-32#,3#/ERC2086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	EH430SL-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	EH430SL-1#	C1800CP-32#,3#/ERC2086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	C1848MR-3#	ERC611-32#	Cube	1,645	17.9	4.30
RCU-A	Scotsman	C1848MR-32#	ERC611-32#	Cube	1,645	17.9	4.30
RCU-A	Scotsman	C1848SR-3#	ERC611-32#	Cube	1,645	17.9	4.30
RCU-A	Scotsman	C1848SR-32#	ERC611-32#	Cube	1,645	17.9	4.30
SC-A	Scotsman	CU1526MA-1#	----	Cube	110	18.0	11.50
SC-A	Scotsman	CU1526SA-1#	----	Cube	110	18.0	11.50
SC-A	Scotsman	CU2026MA-1#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026MA-32#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026SA-1#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026SA-32#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU3030MA-1#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030MA-32#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030SA-1#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030SA-32#	----	Cube	217	18.0	8.50
RCU-A	Scotsman	EH222ML-1	C0800CP-32#/3#/ERC680-32#	Cube	700	18.0	5.50
RCU-A	Scotsman	EH222SL-1	C0800CP-32#/3#/ERC680-32#	Cube	700	18.0	5.50
RCU-A	Scotsman	C1030MR-3#	ERC311-32#	Cube	851	18.2	5.00
RCU-A	Scotsman	C1030MR-32#	ERC311-32#	Cube	851	18.2	5.00
RCU-A	Scotsman	C1030SR-3#	ERC311-32#	Cube	851	18.2	5.00
RCU-A	Scotsman	C1030SR-32#	ERC311-32#	Cube	851	18.2	5.00
RCU-A	Scotsman	C0830MR-3#	ERC311-32#	Cube	780	18.4	4.70
RCU-A	Scotsman	C0830MR-32#	ERC311-32#	Cube	780	18.4	4.70
RCU-A	Scotsman	C0830SR-3#	ERC311-32#	Cube	780	18.4	4.70
RCU-A	Scotsman	C0830SR-32#	ERC311-32#	Cube	780	18.4	4.70
IMH-A	Scotsman	C1030MA-3#	----	Cube	844	18.4	5.00



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Scotsman	C1030MA-32#	----	Cube	844	18.4	5.00
IMH-A	Scotsman	C1030SA-3#	----	Cube	844	18.4	5.00
IMH-A	Scotsman	C1030SA-32#	----	Cube	844	18.4	5.00
RCU-A	Scotsman	EH130SL-1#	C0600CP-32#/ERC680-32#	Cube	530	18.4	5.70
IMH-A	Scotsman	C1448MA-3#	----	Cube	1,242	18.5	4.60
IMH-A	Scotsman	C1448MA-32#	----	Cube	1,242	18.5	4.60
IMH-A	Scotsman	C1448SA-3#	----	Cube	1,242	18.5	4.60
IMH-A	Scotsman	C1448SA-32#	----	Cube	1,242	18.5	4.60
RCU-A	Scotsman	EH430ML-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,200	18.5	4.70
RCU-A	Scotsman	EH430SL-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,200	18.5	4.70
RCU-A	Scotsman	C0630MR-32#	ERC311-32#	Cube	616	18.7	5.80
RCU-A	Scotsman	C0630SR-32#	ERC311-32#	Cube	616	18.7	5.80
IMH-A	Scotsman	C0322MA-1#	----	Cube	255	19.0	6.60
IMH-A	Scotsman	C0322MA-32#	----	Cube	255	19.0	6.60
IMH-A	Scotsman	C0322SA-1#	----	Cube	255	19.0	6.60
IMH-A	Scotsman	C0322SA-32#	----	Cube	255	19.0	6.60
IMH-A	Scotsman	C0330MA-1#	----	Cube	280	19.0	6.00
IMH-A	Scotsman	C0330MA-32#	----	Cube	280	19.0	6.00
IMH-A	Scotsman	C0330SA-1#	----	Cube	280	19.0	6.00
IMH-A	Scotsman	C0330SA-32#	----	Cube	280	19.0	6.00
RCU-A	Scotsman	C1848MR-32#	ERC611-32#	Cube	1,645	17.9	4.30
RCU-A	Scotsman	C1848SR-3#	ERC611-32#	Cube	1,645	17.9	4.30
RCU-A	Scotsman	C1848SR-32#	ERC611-32#	Cube	1,645	17.9	4.30
SC-A	Scotsman	CU1526MA-1#	----	Cube	110	18.0	11.50
SC-A	Scotsman	CU1526SA-1#	----	Cube	110	18.0	11.50
SC-A	Scotsman	CU2026MA-1#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026MA-32#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026SA-1#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU2026SA-32#	----	Cube	155	18.0	9.70
SC-A	Scotsman	CU3030MA-1#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030MA-32#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030SA-1#	----	Cube	217	18.0	8.50
SC-A	Scotsman	CU3030SA-32#	----	Cube	217	18.0	8.50
RCU-A	Scotsman	EH130SL-1#	C0600CP-32#/ERC680-32#	Cube	530	18.4	5.70
RCU-A	Scotsman	EH222ML-1	C0800CP-32#/3#/ERC680-32#	Cube	700	18.0	5.50



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
RCU-A	Scotsman	EH222SL-1	C0800CP-32#/3#/ERC680-32#	Cube	700	18.0	5.50
RCU-A	Scotsman	EH330SL-1#	C1200CP-32#/ERC1086-32#	Cube	1,230	17.4	4.80
RCU-A	Scotsman	EH330SL-1#	C1200CP-3#/ERC1086-32#	Cube	1,230	17.4	4.80
RCU-A	Scotsman	EH430ML-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,200	18.5	4.70
RCU-A	Scotsman	EH430ML-1#	C1800CP-32#,3#/ERC2086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	EH430SL-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	EH430SL-1#	C1800CP-32#,3#/ERC2086-32#	Cube	1,567	17.6	4.60
RCU-A	Scotsman	EH430SL-1#	C1410CP-32#,3#/ERC1086-32#	Cube	1,200	18.5	4.70
IMH-A	Scotsman	F0522A-1A	----	Flake	320	12.0	6.10
IMH-A	Scotsman	F0822A-1A	----	Flake	580	12.0	4.70
IMH-A	Scotsman	F0822A-32A	----	Flake	580	12.0	4.70
RCU-A	Scotsman	F0822R-1A	ERC111-1A	Flake	610	12.0	5.10
IMH-A	Scotsman	F1222A-32A	----	Flake	825	12.0	3.90
IMH-A	Scotsman	F1222A-3A	----	Flake	825	12.0	3.90
RCU-A	Scotsman	F1222R-32A	ERC211-32A	Flake	1,000	12.0	3.40
RCU-A	Scotsman	F1222R-3A	ERC211-32A	Flake	1,000	12.0	3.40
IMH-A	Scotsman	F1522A-32A	----	Flake	1,100	12.0	3.70
RCU-A	Scotsman	FME 804RS	ERC101-1A	Flake	625	12.0	5.70
IMH-A	Scotsman	FME1204AS	----	Flake	870	12.0	3.30
RCU-A	Scotsman	FME1204RS	ERC151	Flake	890	12.0	3.40
IMH-A	Scotsman	FME1504AS	----	Flake	1,110	12.0	3.40
RCU-A	Scotsman	FME1504RS	ERC201	Flake	1,100	12.0	3.30
IMH-A	Scotsman	FME2404AS	----	Flake	1,800	12.0	3.30
RCU-A	Scotsman	FME2404RS	ERC302	Flake	1,780	12.0	3.40
IMH-A	Scotsman	FME504AS	----	Flake	400	12.0	4.80
IMH-A	Scotsman	FME804AS	----	Flake	595	12.0	4.90
SC-A	Scotsman	MDT3F12A	----	Flake	294	12.0	5.60
SC-A	Scotsman	MDT4F12A	----	Flake	351	12.0	5.60
SC-A	Scotsman	MDT5N25A	----	Flake	409	12.0	5.40
SC-A	Scotsman	MDT5N40A	----	Flake	409	12.0	5.40
SC-A	Scotsman	MDT6N90A	----	Flake	540	12.0	5.60
IMH-A	Scotsman	MFE400AS	----	Flake	380	12.0	5.50



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
IMH-A	Scotsman	N0422A-1A	----	Nugget	310	12.0	6.30
IMH-A	Scotsman	N0622A-1A	----	Nugget	500	12.0	5.30
IMH-A	Scotsman	N0622A-32A	----	Nugget	500	12.0	5.30
RCU-A	Scotsman	N0622R-1A	ERC111-1A	Nugget	530	12.0	5.60
RCU-A	Scotsman	N0622R-32A	ERC111-1A	Nugget	530	12.0	5.60
IMH-A	Scotsman	N0922A-32A	----	Nugget	765	12.0	4.70
IMH-A	Scotsman	N0922A-3A	----	Nugget	765	12.0	4.70
RCU-A	Scotsman	N0922R-32A	ERC311-32A	Nugget	835	12.0	4.00
RCU-A	Scotsman	N0922R-3A	ERC311-32A	Nugget	835	12.0	4.00
IMH-A	Scotsman	N1322A-32A	----	Nugget	950	12.0	4.20
RCU-A	Scotsman	N1322R-32A	ERC311-32A	Nugget	1,030	12.0	4.00
IMH-A	Scotsman	NME1254AS	----	Nugget	945	12.0	3.70
RCU-A	Scotsman	NME1254RS	ERC201	Nugget	1,005	12.0	3.60
IMH-A	Scotsman	NME1854AS	----	Nugget	1,595	12.0	3.90
RCU-A	Scotsman	NME1854RS	ERC302	Nugget	1,800	12.0	3.90
IMH-A	Scotsman	NME454AS	----	Nugget	370	12.0	5.20
IMH-A	Scotsman	NME654AS	----	Nugget	520	12.0	5.30
IMH-A	Scotsman	NME954AS	----	Nugget	780	12.0	3.90
RCU-A	Scotsman	NME954RS	ERC151	Nugget	830	12.0	4.10
SC-A	Scotsman	NSE654AS	----	Nugget	560	12.0	5.30
IMH-A	Scotsman	C0530MA-1C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530MA-1C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530MA-32C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530MA-32C	----	Cube	380	18.0	5.80
RCU-A	Scotsman	C0530MR-1C	ERC111-1#	Cube	400	18.0	6.50
IMH-A	Scotsman	C0530SA-1C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530SA-1C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530SA-32C	----	Cube	380	18.0	5.80
IMH-A	Scotsman	C0530SA-32C	----	Cube	380	18.0	5.80
RCU-A	Scotsman	C0530SR-1C	ERC111-1#	Cube	400	18.0	6.50
RCU-A	Scotsman	C2648MR-3#	PRC241-32#	Cube	2,256	17.0	4.34
RCU-A	Scotsman	C2648SR-3#	PRC241-32#	Cube	2,224	17.7	4.50
RCU-A	Scotsman	EH222SL-1#	ERC680-32#	Cube	700	18.0	5.50
RCU-A	Scotsman	EH222SL-1#	ERC680-32#	Cube	700	18.0	5.50
IMH-A	Scotsman	F0522W-1A	----	Flake	420	12.0	3.90
SC-A	Scotsman	MDT2C12A-1A	----	Nugget	198	12.0	7.00
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-20M	----	Cube	1,985	13.8	4.04
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-20M	----	Cube	1,985	13.8	4.04



Qualified Air-Cooled Ice Machines

Look for these approved models at various appliance retailers.

Type	Manufacturer	Model	Condenser	Ice Type	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lbs)
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-20S	----	Cube	2,075	14.9	3.80
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-20S	----	Cube	2,075	14.9	3.80
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-30S	----	Cube	2,728	14.8	4.48
RCU-A	Tube-Ice/Vogt-Ice, LLC	HES-40S	----	Cube	3,602	15.0	4.48

It's easy to participate.

Call 1-877-728-2282

for details

Or visit www.bewaterwise.com and click on the *Save-a-Buck* logo

Don't forget to check with Southern California Edison and San Diego Gas & Electric Company for additional energy rebates



http://www.sce.com/business/ems/express_solutions.htm



<http://www.sdge.com/business/rebatesincentives/programs/energyEfficiency.shtml>

v. 09012011